

Rootstock Size Evaluation BioRemedy - cm

June 21st, 2020

Early Pride Tangerine – Young Trees HLB Infected

- *Observations this Spring showed Bio-Remedy Treatments increased Rootstock Diameters, demonstrating better overall root growth & reversal of root decline*
- *2 lbs. per acre – 4 Week Interval - 15 Trts / Second year of Treatments*
- *Circumference Measured in cm to nearest 0.5 cm*



Un-Treated



Treated

Rootstock Size Evaluation BioRemedy - cm

June 21st, 2020

Early Pride Tangerine

2 lbs. per acre – 4 Week Interval - 15 Trts




Circumference Measured in cm

Rootstock Size Evaluation BioRemedy - cm

June 21st, 2020

Early Pride Tangerine

2 lbs. per acre – 4 Week Interval - 15 Trts



Circumference Measured in cm to nearest 0.5 cm

Rootstock Size Evaluation BioRemedy - cm

June 21st, 2020

Early Pride Tangerine

2 lbs. per acre – 4 Week Interval



Un-Treated



Treated

Rootstock Size Evaluation BioRemedy - cm

June 21st, 2020

Early Pride Tangerine

2 lbs. per acre – 4 Week Interval



Un-Treated



Treated

Rootstock Size Evaluation BioRemedy - cm

June 21st, 2020

Early Pride Tangerine

2 lbs. per acre – 4 Week Interval



Un-Treated



Treated

Rootstock Size Evaluation BioRemedy - cm

Early Pride Tangerine

June 21st, 2020

2 lbs. per acre – 4 Week Interval

Un-Treated

Treated

Row 9

Row 11

Row 16

Row 10

Row 12

Row 14

Tree 3	33.5	35.5	38.0	Tree 3	41.5	44.0	54.0		
Tree 4	36.0	30.5	38.5	Tree 4	40.5	44.5	52.5		
Tree 5	37.0	32.0	31.0	Tree 5	37.0	38.0	Reset		
Tree 6	29.0 X	28.5	36.0	Tree 6	28.0 X	46.0	57.5		
Tree 7	36.5	32.5	35.5	Tree 7	36.5	32.5	48.0		
Avg cm	35.8	31.8	35.8	34.5	Avg cm	38.9	41.0	53.0	44.3

X = damaged rootstock omitted

Rootstock Size Evaluation BioRemedy - cm

June 21st, 2020

Mid – Sweet Orange Young Trees HLB Infected

2 lbs. per acre – 4 Week Interval – 15 Trts



Circumference Measured in cm to nearest 0.5 cm

Rootstock Size Evaluation BioRemedy - cm

June 21st, 2020

Mid – Sweet Orange

2 lbs. per acre – 4 Week Interval



Un-Treated



Treated

Circumference Measured in cm

Rootstock Size Evaluation BioRemedy - cm

June 21st, 2020

Mid – Sweet Orange

2 lbs. per acre – 4 Week Interval



Un-Treated



Treated

Circumference Measured in cm

Rootstock Size Evaluation BioRemedy - cm Mid – Sweet Orange

June 21st, 2020

2 lbs. per acre – 4 Week Interval

	Un-Treated				Treated		
	Row 9	Row 11	Row 14		Row 8	Row 10	Row 13

Tree 3	26.5	25.5	26.0	Tree 3	39.0	33.0	35.0
--------	------	------	------	--------	------	------	------

Tree 4	34.0	33.5	30.0	Tree 4	37.5	37.0	34.5
--------	------	------	------	--------	------	------	------

Tree 5	32.5	26.0	31.0	Tree 5	34.0	34.5	33.0
--------	------	------	------	--------	------	------	------

Tree 6	33.0	30.0	26.5	Tree 6	30.5	36.0	34.0
--------	------	------	------	--------	------	------	------

Tree 7	24.5	33.0	36.0	Tree 7	36.0	33.5	30.5
--------	------	------	------	--------	------	------	------

Avg cm	30.1	29.6	29.9	29.9	Avg cm	35.4	34.8	33.4	34.5
--------	------	------	------	------	--------	------	------	------	------